

Appendix 14.5: Sloy Pumped Hydro Storage Scheme: Construction Noise Results

Appendix 14.5: Construction Noise Results

Construction Noise Assessment Results

Table A14.5.1 presents the exceedance of BS 5228 Threshold Levels.

A negative value indicates predictions are below the threshold level; a positive value indicates an exceedance of the threshold level. Where an exceedance is present, this is presented in **red**.

Table A14.5.1: Exceedance of BS 5228 Threshold Levels

NAL - Name	Threshold Value (dB)			Scenario 01			Scenario 02			Scenario 03			Scenario 04			Scenario 05		
	Day (D)	Evening (E)	Night (N)	D	E	N	D	E	N	D	E	N	D	E	N	D	E	N
NAL1 - Cottage on A82	65	65	55	-2	-2		-4	-4		0	0		-2	-2				-19
NAL2 - Inveruglas Farm 1	65	55	45	-14	-4		-17	-7		-12	-2		-16	-6				-16
NAL3 - Inveruglas Farm 2	65	55	45	-13	-3		-16	-6		-11	-1		-14	-4				-16
NAL4 - Inveruglas Farm 3	65	55	45	-16	-6		-18	-8		-14	-4		-17	-7				-17
NAL5 - Loch Lomond Holiday Park	65	55	45	-14	-4		-19	-9		-14	-4		-17	-7				-18